Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	85	select$3 near2 authenticat$3 with (combin$5 or multip$3 or plural$3 or (more near2 one)) and @ad<"20010828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/08 11:11
S2	96	select$3 near2 authenticat$3 same (combin$5 or multip$3 or plural$3 or (more near2 one)) and @ad<"20010828" not S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 12:54
S3	34	select$3 near2 authenticat$3 same (combin$5 or multip$3 or plural$3 or (more near2 one)) with (type$2 or method$2 or way$2) and @ad<"20010828" not S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 13:07
S4	18	(choos$3 or chos$3 or pick$3) near2 authenticat$3 with (combin$5 or multip$3 or plural$3 or (more near2 one)) and @ad<"20010828" not S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 13:12
S5	423	713/186.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 13:12
S6	213	S5 and @ad<"20010828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 10:59
S7	375	takuji.in. and maeda.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 14:14
S8	2	"6229922".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 14:14

S9	2	"6516315".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/07 18:14
S10	2	"20030051147".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:26
S11	0	S10 and identification with accurac$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 10:34
S12	0	S10 and identif$4 with accurac$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 10:34
S13	0	S10 and identif$4 with accura$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 10:34
S14	2	S10 and accuracy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 13:46
S15	1	"20020169874".pn. and biometric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:35
S16	4386	accuracy with threshold$2 and @ad<"20010828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:36

S17	0	accuracy with threshold$2 same biometric and @ad<"20010828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:36
S18	10	accuracy with threshold$2 same authenticat$3 and @ad<"20010828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:37
S19	67	accuracy with biometric and @ad<"20010828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:39
S20	0	accuracy with biometric same threshold and @ad<"20010828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:41
S21	78	biometric with threshold and @ad<"20010828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:41
S22	2	"6859879".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:42
S23	3	(select$3 or pick$3 or choos$3) with (authenticat$3 or biometric) near2 device$2 with (target or threshold) and @ad<"20010828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:44
S24	205	(select$3 or pick$3 or choos$3) with (authenticat$3 or biometric) near2 device$2 and @ad<"20010828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:46

S25	172	(select$3 or pick$3 or choos$3) with (authenticat$3 or biometric) near2 device$2 same (authenticat$3 or authori$3) and @ad<"20010828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 16:01
S26	1	"20030051147".pn. and (log or analyz$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 16:21
S27	1	"20030051147".pn. and (updat$3 with performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 16:15
S28	1	"20030051147".pn. and (updat$3 with threshold$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 16:15
S29	4992	updat$3 with threshold and @ad<"20010828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 16:21
S30	74	updat$3 with threshold with analy$3 and @ad<"20010828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 16:24
S31	6	updat$3 with threshold with (biometric or fingerprint or retinal) and @ad<"20010828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 16:33
S32	35	ratio with fals$3 near3 (accept$3 or reject$3) and @ad<"20010828"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 16:34

| S33 | 64 | ratio with (fals$3 or $2correct$3) near3 (accept$3 or reject$3) and @ad<"20010828" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/08 16:34 |